

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2009		2. REPORT TYPE Annual		3. DATES COVERED 00-00-2009 to 00-00-2009	
4. TITLE AND SUBTITLE Quantifying Sensible Weather Forecast Variability			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Postgraduate School, Department of Meteorology, Code MR/Nus, 589 Dyer Rd. Root Hall 254, Monterey, CA, 93943			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Code 1 only					
14. ABSTRACT Sensible weather occurs on small scales and the development and evolution of these small scale features depends strongly on the larger scale environment. Synoptic scale variability is represented by the individual members in a well-designed ensemble modeling system. The objective of this research is to quantify the local scale variations in sensible weather elements, like fog, due to larger scale variability. The sensitivity of selected weather elements to synoptic scale background variance will be quantified to identify when local scale predictability may be high or low.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Quantifying Sensible Weather Forecast Variability

Wendell A. Nuss
Department of Meteorology, Code MR/Nus
Naval Postgraduate School
589 Dyer Rd. Root Hall 254
Monterey, CA 93943
phone: (831) 656-2308 fax: (831) 656-3061 email: nuss@nps.edu

Award Number: N0001409WR20178

LONG-TERM GOALS

The long-term goal of this research is to examine the tactical scale environmental predictability and provide a methodology by which it may be operationally assessed or monitored.

OBJECTIVES

Sensible weather occurs on small scales and the development and evolution of these small scale features depends strongly on the larger scale environment. Synoptic scale variability is represented by the individual members in a well-designed ensemble modeling system. The objective of this research is to quantify the local scale variations in sensible weather elements, like fog, due to larger scale variability. The sensitivity of selected weather elements to synoptic scale background variance will be quantified to identify when local scale predictability may be high or low.

APPROACH

The basic approach that will be used to investigate the tactical-scale sensible weather forecast sensitivity is to conduct a variety of numerical model experiments. The time range of interest is the 0-48h forecast of sensible weather elements of operational interest.

Sensible weather elements are generally not explicitly forecast by numerical models but will be derived algorithmically using appropriate combinations of explicitly forecast variables. These algorithms will be applied across a set of ensemble forecasts to determine the ensemble-based probability of occurrence for a particular weather element.. The NCEP GFS-based ensemble will provide basis for generating probabilistic forecasts of a variety of sensible weather elements in the 0-48 h time period. Deterministic mesoscale forecasts for the region are available from a 3km resolution forecast from COAMPS and will be used to derive mesoscale sensible weather forecasts that are tuned to this model. Additional COAMPS model runs will be conducted using the NCEP ensemble members to initiate COAMPS forecasts to produce a mesoscale ensemble based on the predicted synoptic scale variance. Since the NCEP ensemble represents synoptic variability, the mesoscale forecasts will vary due only to the local forcing differences that arise from slightly different synoptic conditions. These experiments will be used to systematically test the mesoscale variance that is likely to be driven by larger scale processes.

WORK COMPLETED

Work completed in the initial six months of this project consists of setting up COAMPS for the Monterey Bay region of study, developing the method by which NCEP ensemble forecasts can be used to initialize COAMPS, and examining the algorithms that will be applied to model forecasts to derive sensible weather elements. The COAMPS model was ported to our super-computing cluster to begin this study. NCEP ensemble model fields are being routinely downloaded at NPS. The software to bring these into COAMPS is still under development but should be operating very soon. Testing has begun on marine stratus/fog algorithms to apply to model output.

RESULTS

There are no real results to report at this early stage of research.

IMPACT/APPLICATIONS

Potential impacts of this research are postprocessing tools that can be applied to COAMPS forecasts to alert forecasters to periods of high sensitivity in specific sensible weather parameters.

RELATED PROJECTS

None.